







RoHS Compliant

REVISIONS			
REV.	DESCRIPTION	DATE	DESIGN



STEP 1 INSERT NANO SIM CARD
STEP 2 PUSH THE SHELL
STEP 3 FINISH

NOTES:

1) 材质:

主体: LCP S475 UL 94V-0



端子: C5210-EH, T=0.15

壳子: SUS201-3/4H, T=0.20

2) 电镀:

端子: 整体镀镍底30u", 触点刷金1u", 焊脚刷金1u"


外壳: 整体表面清洗即可.



RECOMMENDED PCB LAYOUT
TOLERANCE ±0.05
SMT SOLDER AREA


PART NO. INFORMATION

NSIM - 07 X X 5 R - 006



PIN NO.	PIN NAME
C1	VCC
C2	RST
C3	CLK
C5	GND
C6	VPP
C7	I/O
S/W	Switch Pin

Circuit Diagram for Card Detect Switch



Bestcreate Technology Limited

TOLERANCES UNLESS OTHERWISE SPECIFIED:

.X	± 0.35	X'	± 5'
.XX	± 0.25	.X'	± 2'
.XXX	± 0.15	.XX'	± 1'

Website: www.bsc-elec.com
Email: bestcreate@bsc-elec.com



DESIGN:	DATE:
I.L	2017.3.1
CHECKED:	DATE:
C.W	2017.3.1
APPROVED:	DATE:
C.W	2017.3.1

TITLE: NANO SIM 7PIN 1.45H 带侦测PIN 掀盖式 卡座		
MATERIALA:	PART NO:	SIZE:
FINSH:	DWG NO:	1 OF 2
	NSIM-07XX5R-006	A4
	NSIM-07XX5R-006	

REV: A	UNIT: mm	SCALE: 1=1	QUALITY SYMBOLS
--------	----------	------------	-----------------

RoHS Compliant

REVISIONS			
REV.	DESCRIPTION	DATE	DESIGN



1	1500	11	XX	16500	350X350X350	
ITEM	PRODUCT No.	Q'TY/REEL	REEL/CARTON	Kg/CARTON	Q'TY/CARTON	CARTON SIZE

Bestcreate Technology Limited

TOLERANCES UNLESS OTHERWISE SPECIFIED:

.X	± 0.35	X'	± 5'
.XX	± 0.25	.X'	± 2'
.XXX	± 0.15	.XX'	± 1'

Website: www.bsc-elec.com
Email: bestcreate@bsc-elec.com

DESIGN:	DATE:
I.L	2017.3.1
CHECKED:	DATE:
C.W	2017.3.1
APPROVED:	DATE:
C.W	2017.3.1

TITLE: NANO SIM 7PIN 1.45H 带侦测PIN 掀盖式 卡座		
MATERILA:	PART NO:	SIZE:
FINSH:	DWG NO:	2 OF 2
	NSIM-07XX5R-006	A4
	NSIM-07XX5R-006	

REV: A	UNIT mm	SCALE 1=1	QUALITY SYMBOLS
--------	---------	-----------	-----------------